Hopper picnic


© design by Dirk Wynants


extremis[®]




Dimensions

The Hopper picnic is available in 4 lengths







Hopper picnic - Factsheet

Box dimensions


The Hopper picnic comes in 3 boxes

<u>Box 1</u>: Tabletop



<u>Box 2</u>: benches


<u>Box 3</u>: Legs + mounting kit



Box dimensions (inch)		L	W	н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (њ)	Packaging weight (Ib)
Hopper picnic 180	Box 1	78.75	34.25	6.0	1	9.18	115.52	104.50	11.02
Galvanized	Box 2	39.25	15.5	10.0	1	2.83	62.61	56.44	6.17
	Box 3	44.25	25.0	24.5	1	15.89	250.45	211.64	38.80
					Total:	27.90	428.58	372.58	55.99
Hopper picnic 180	Box 1	78.75	34.25	6.0	1	9.18	115.52	104.50	11.02
Powder coated	Box 2	39.25	15.5	10.0	1	2.83	62.61	56.44	6.17
	Box 3	44.25	25.0	24.5	1	15.89	129.19	93.48	35.71
					Total:	27.90	307.32	254.42	52.90
Hopper picnic 240	Box 1	97.25	34.25	6.0	1	11.30	150.80	137.13	13.67
Galvanized	Box 2	65.0	12.5	10.0	1	4.59	97.00	91.71	5.29
	Box 3	44.25	25.0	24.5	1	15.89	250.45	211.64	38.80
					Total:	31.78	498.25	440.48	57.76
Hopper picnic 240	Box 1	97.25	34.25	6.0	1	11.30	150.80	137.13	13.67
Powder coated	Box 2	65.0	12.5	10.0	1	4.59	97.00	91.71	5.29
	Box 3	44.25	25.0	24.5	1	15.89	129.19	93.48	35.71
					Total:	31.78	376.99	322.32	54.67
Hopper picnic 300	Box 1	119.75	34.25	6.0	1	14.13	182.10	164.02	18.08
Galvanized	Box 2	95.25	12.5	10.0	1	7.06	127.87	118.17	9.70
	Box 3	44.25	25.0	24.5	1	15.89	250.45	211.64	38.80
					Total:	37.08	560.42	493.83	66.58
Hopper picnic 300	Box 1	119.75	34.25	6.0	1	14.13	182.10	164.02	18.08
Powder coated	Box 2	95.25	12.5	10.0	1	7.06	127.87	118.17	9.70
	Box 3	44.25	25.0	24.5	1	15.89	129.19	93.48	35.71
					Total:	37.08	439.16	375.67	63.49
Hopper picnic 360	Box 1	147.0	32.24	6.0	1	17.30	212.53	191.80	20.72
Galvanized	Box 2	119.0	12.5	10.0	1	8.83	167.10	157.41	9.70
	Box 3	44.25	25.0	24.5	1	15.89	250.45	211.64	38.80
					Total:	42.02	630.08	560.85	69.22
Hopper picnic 360	Box 1	147.0	32.24	6.0	1	17.30	212.53	191.80	20.72
Powder coated	Box 2	119.0	12.5	10.0	1	8.83	167.10	157.41	9.70
	Box 3	44.25	25.0	24.5	1	15.89	129.19	93.48	35.71
					Total:	42.02	508.82	442.69	66.13

Backrest

The backrest is available in 4 lengths



L



The backrests comes in 2 boxes

Box 4: support (2x)




Box 5: Wooden plank

The second secon

5.25

29.25



Box dimensions (inch)		L	w	н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (њ)	Packaging weight (њ)
Backrest for 180	Box 4	20.75	10.5	2.0	1	0.35	10.14	8.82	1.32
Galvanized	Box 5	34.5	6.5	2.25	1	0.35	7.50	6.61	0.88
					Total:	0.70	17.64	15.43	2.20
Backrest for 180	Box 4	20.75	10.5	2.0	1	0.35	4.85	3.53	1.32
Powder coated	Box 5	34.5	6.5	2.25	1	0.35	7.50	6.61	0.88
					Total:	0.70	12.35	10.14	2.20
Backrest for 240	Box 4	20.75	10.5	2.0	1	0.35	10.14	8.82	1.32
Galvanized	Box 5	59.0	6.5	2.25	1	0.35	12.35	11.46	0.88
					Total:	0.70	22.49	20.28	2.20
Backrest for 240	Box 4	20.75	10.5	2.0	1	0.35	4.85	3.53	1.32
Powder coated	Box 5	59.0	6.5	2.25	1	0.35	12.35	11.46	0.88
					Total:	0.70	17.20	14.99	2.20
Backrest for 300	Box 4	20.75	10.5	2.0	1	0.35	10.14	8.82	1.32
Galvanized	Box 5	82.75	6.5	2.25	1	0.35	16.98	15.43	1.54
					Total:	0.70	27.12	24.25	2.86
Backrest for 300	Box 4	20.75	10.5	2.0	1	0.35	4.85	3.53	1.32
Powder coated	Box 5	82.75	6.5	2.25	1	0.35	16.98	15.43	1.54
					Total:	0.70	21.83	18.96	2.86
Backrest for 360	Box 4	20.75	10.5	2.0	1	0.35	10.14	8.82	1.32
Galvanized	Box 5	106.25	6.5	2.25	1	0.35	23.81	22.49	1.32
					Total:	0.70	33.95	31.31	2.64
Backrest for 360	Box 4	20.75	10.5	2.0	1	0.35	4.85	3.53	1.32
Powder coated	Box 5	106.25	6.5	2.25	1	0.35	23.81	22.49	1.32
					Total:	0.70	28.66	26.02	2.64

76.5


Cushion


The cushions are available in 4 lengths



The cushions come in 1 plastic bag

Bag 1: cushion





Dimensions (inch)	L
Cushion for 180	38.25
Cushion for 240	61.75
Cushion for 300	85.5
Cushion for 360	109.0

Box dimensions (inch)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Cushion for 180	Bag 1	38.25	10.75	1.25	1	0.35	2.65	2.65	0.00
Cushion for 240	Bag 1	61.75	10.75	1.25	1	0.35	3.53	3.53	0.00
Cushion for 300	Bag 1	85.5	10.75	1.25	1	0.71	4.41	4.41	0.00
Cushion for 360	Bag 1	109.0	10.75	1.25	1	0.71	5.29	5.29	0.00

Materials & colors

Tabletop, benches & backrest	Legs & backre	est supports	Sunbrella® cu	ishions
Iroko hardwood		Black (RAL9005) Structured powder coating		Grey chiné Sunbrella Natté
Hellwood		Earth Structured powder coating		Dark taupe Sunbrella Natté
Frame		Beach beige (RAL1019) Structured powder coating		Coconut Sunbrella Savane
Galvanized steel		Off white (RAL9002) Structured powder coating		Marble Sunbrella Lopi
		Verdigris Structured powder coating		Charcoal Sunbrella Lopi
		Reed green (RAL6013) Structured powder coating		Leaf green Sunbrella Heritage
		Copper brown (RAL8004) Structured powder coating		Rust Sunbrella Heritage
		Galvanized steel		Biscuit Sunbrella Lopi

Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		inch	micron					
Iroko tabletop & benches	 Durability CLASS 1 Feels comfortable in all weather conditions Advisable to oil the wood 	1.18	n.a.	37 à 44 lb/ft³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hellwood tabletop & benches	 Durability CLASS 1 Carries the PEFC[™] label for durable forestry Feels comfortable in all weather conditions Advisable to oil the wood 	1.18	n.a.	37 lb/ft ³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hot dip galvanized steel frame	 Most durable method for protecting metal from rusting Protective layer Very long life span 100% recyclable Cradle to Cradle Certified[™] 	0.07-0.23	50 - 100	0,47 10 ³ lb/ft ³	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN- -EN13501- 1 A1 *
Hot dip galvanized steel legs & backrest supports	 Most durable method for protecting metal from rusting Protective layer Very long life span 100% recyclable Cradle to Cradle Certified[™] 	0.31	50 - 100	0,47 10 ³ lb/ft ³	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN- -EN13501- 1 A1 *
Structured powder coated aluminium legs and backrest supports	 A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	0.31	50 - 100	0,47 10 ³ ft/lb ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN -EN13501- 1 A2-s1 **
Sunbrella® cushions	 100% Sunbrella Acrylic Best outdoor fabric available for making cushions Dirt repellent Not waterproof, store inside! Machine washable at max. 30°C. Ironing restores the protective layer 	0.01	n.a.	9,53 oz/ft²	Outdoor & indoor	The fa- bric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

<u>NEN-EN13501-1 A2-sl</u>

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth

Good to know

- 'Hopper' stands for 'Hop Picker', because the range is inspired by hop gardens, harvests and beer fests.
- PEFC[™] certified wood originates from sustainably managed forests.
 The Hopper picnic legs are cut out of an aluminium or metal sheet nearly without any loss of material.

Floor fastening

Hopper picnic has an optional floor fastening set (ø 0.35 inch), four stainless steel plates to bed fixed with bolts.

For an even more rigid anchoring system, Hopper legs can be ordered with holes ø 0.47 inch.



Certificates

- тüv
- BIFMA
- PEFC
- Cradle to Cradle

F.A.Q.

- Q: Do you need to oil the wood?
- A: Just like other types of wood, wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100% natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals.

Warnings \Lambda

<u>General</u>

- Do not use any sharp tools to open the packaging.We strongly advise against using power tools.
- We strongly advise against using power
 Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not grafitti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the table, but carry it with minimum 2 people.
- The packaging material of the legs must stay intact, you need it to attach the legs to the tabletop.
- 180: max. 4 people or 705 lb per bench 240: max. 5 people or 882 lb per bench - 300: max. 6 people or 1058 lb per bench - 360: max. 7 people or 1235 lb per bench.
- Regularly clean the flat surface of the legs.

Wood

- When delivered, the wood is untreated.Wood is a natural material and its look is different
- for every slat, plank and tree.
- Wood will gradually become rougher and start to

turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions.

- Clean regularly with mild detergent. Never use a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.
- Thorough cleaning with Extremis Wood Cleaner.
- We strongly recommend that you treat your wood with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.

Maintenance

POWDER COATED PARTS

White powder coating obviously requires more maintenance.

GALVANIZED PARTS

Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

WOOD

- Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the blanket and the pillow covers in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open about 10 cm.

RECOMMENDED USE

For Extremis Wood protector:

<u>IL</u>	0.5L	F
3 to 5 wood care treatments for 180	1 to 3 wood care treatments for 180	200 - 300 ml for one Hopper picnic 180
2 to 4 wood care treatments for 240	1 to 2 wood care treatments for 240	250 - 350 ml for one Hopper picnic 240
2 to 3 wood care treatments for 300	1 to 2 wood care treatments for 300	300 - 400 ml for one Hopper picnic 300
1 to 2 wood care treatments for 360	1 wood care treatments for 360	350 - 500 ml for one Hopper picnic 360

• This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

Powder coating

- White powder coating requires more maintenance.
 Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
 Flame retarding NEN-EN13501-1 A2-sl -
- Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

<u>Sunbrella</u>

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
 UV color fasteness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in inch, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

Tech sheet 20231205

e rougher and tr n and rain. Small 2 se We strongly tr

Hopper picnic AA


© design by Dirk Wynants


extremis[®]




Dimensions


The Hopper picnic AA is available in 3 lengths





93.75






Box dimensions

The Hopper picnic AA comes in 3 boxes

<u>Box 1</u>: Tabletop



Box 3: Legs + mounting kit



							Gross	Net	Packaging
Box dimensions (inch)		L	W	н	Qty	Volume (ft3)	weight (Ib)	weight (Ib)	weight (Ib)
Hopper picnic AA 240	Box 1	97.25	34.25	6.0	1	11.30	112.43	99.21	13.23
	Box 2	65.0	12.5	10.0	1	4.59	88.18	77.16	11.02
	Box 3	44.25	25.0	24.5	1	15.89	129.19	93.48	35.71
					total:	31.78	329.80	269.85	59.96
Hopper picnic AA 300	Box 1	119.75	34.25	6.0	1	14.13	119.05	103.62	15.43
	Box 2	95.25	12.5	10.0	1	7.06	97.00	83.78	13.23
	Box 3	44.25	25.0	24.5	1	15.89	129.19	93.48	35.71
					total:	37.08	345.24	280.88	64.37
Hopper picnic AA 360	Box 1	147.0	32.24	6.0	1	17.30	145.51	127.87	17.64
	Box 2	119.0	12.5	10.0	1	8.83	116.84	101.41	15.43
	Box 3	44.25	25.0	24.5	1	15.89	129.19	93.48	35.71
					total:	42.02	391.54	322.76	68.78


Backrest


The backrest is available in 3 lengths


Backrest box

The backrests comes in 1 box

Box 5: Profile + supports







Dimensions (inch)	L
Backrest for 240	54.75
Backrest for 300	78.5
Backrest for 360	102.25

Box dimensions (inch)		L	W	н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (۱b)	Packaging weight (Ib)
Backrest for 240	Box 5	59.0	6.0	4.0	1	0.71	9.92	8.82	1.10
Backrest for 300	Box 5	82.75	6.0	4.0	1	1.06	11.57	9.92	1.65
Backrest for 360	Box 5	106.25	6.0	4.0	1	1.41	13.23	11.02	2.20


Cushion


The cushions are available in 3 lengths


Cushion bag

The cushions come in 1 plastic bag

Bag 1: cushion







Dimensions (inch)	L
Cushion for 240	61.75
Cushion for 300	85.5
Cushion for 360	109.0

Box dimensions (inch)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Cushion for 240	Bag 1	61.75	10.75	1.25	1	0.35	3.53	3.53	0.00
Cushion for 300	Bag 1	85.5	10.75	1.25	1	0.71	4.41	4.41	0.00
Cushion for 360	Bag 1	109.0	10.75	1.25	1	0.71	5.29	5.29	0.00

Materials & colors

Tabletop, benches, legs & backrest

	, .	 	
	Black (RAL9005) Structured powder coating	Grey chiné Sunbrella Natté	
	Earth Structured powder coating	Dark taupe Sunbrella Natté	
	Beach beige (RAL1019) Structured powder coating	Coconut Sunbrella Savane	
	Off white (RAL9002) Structured powder coating	Marble Sunbrella Lopi	
	Verdigris Structured powder coating	Charcoal Sunbrella Lopi	U
	Reed green (RAL6013) Structured powder coating	Leaf green Sunbrella Heritage	
	Copper brown (RAL8004) Structured powder coating	Rust Sunbrella Heritage	
		Biscuit Sunbrella Lopi	

Sunbrella® cushions

Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		inch	micron					
Structured powder coated aluminium tabletop, bench, legs & backrest	 A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	0.39	50 - 100	0.47 10 ³ ft/lb ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN -EN13501- 1 A2-s1 **
Sunbrella® cushions	 100% Sunbrella Acrylic Best outdoor fabric available for making cushions Dirt repellent Not waterproof, store inside! Machine washable at max. 30°C. Ironing restores the protective layer 	0.01	n.a.	9.53 oz/ft ²	Outdoor & indoor	The fa- bric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A2-sl

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth

Good to know

- 'Hopper' stands for 'Hop Picker', because the range is inspired by hop gardens, harvests and beer fests.
- The Hopper picnic legs are cut out of an aluminium or metal sheet nearly without any loss of material.

Floor fastening

Hopper picnic AA has an optional floor fastening set (ø 0.35 inch), four stainless steel plates to bed fixed with bolts.



Important

Use our packaging material for better support to attach the legs to the tabletop.

- 1. Leave the box on the pallet.
- 2. Remove the lid of the box.
- 3. Take the legs out of the box.
- 4. Put the lid back on the box. 5. Put the tabletop on top of the box.
- 6. Assemble the Hopper picnic AA.



Maintenance

POWDER COATED PARTS

White powder coating obviously requires more maintenance.

SUNBRELLA

- Shake or brush off loose dirt immediately. Sprav Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the blanket and the pillow covers in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open about 10 cm.

Warnings \Lambda

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not grafitti proof.
- Do not leave children unattended whilst playing on the table. To avoid danger of suffocation, keep plastic bags
- away from babies and children. Colors can differ over years and from batch to
- batch

Product

Do not drag the table, but carry it with minimum 2 people.

- · The packaging material of the legs must stay intact, you need it to attach the legs to the tabletop.
- 240: max. 5 people or 882 lb per bench 300: max. 6 people or 1058 lb per bench - 360: max. 7 people or 1235 lb per bench.
- Regularly clean the flat surface of the legs.

Powder coating

- White powder coating requires more maintenance.
- as they will scratch the surface.
- Color can fade to some extent when exposed to UV. Flame retarding - NEN-EN13501-1 A2-sl -
- Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products

will nog significantly contribute to the fire load and fire arowth.

Dark colors can get very hot in sunny weather.

Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fasteness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in inch, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only

Tech sheet 20231205

Do not use abrasive scouring powders or scourers

Hopper shade


© design by Dirk Wynants






Dimensions

The Hopper shade is available in 3 lengths Hopper shade with assembly under Hopper picnic



Hopper shade with concrete base

L




105.5

Dimensions (inch)	L	11
Hopper shade 240	100,71	85,51
Hopper shade 300	124,33	109,13
Hopper shade 360	147,87	132,68

83.0

Box dimensions

The shade comes in several boxes



Box 7: Frame for concrete base

Box dimensions (inch)		L	w	н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (њ)	Packaging weight (њ)
Hopper shade 240	Box 1	98.0	7.5	7.5	1	3.18	46.30	39.68	6.61
	Box 2	90.25	6.5	5.75	1	1.77	57.12	54.81	2.31
					Total:	4.94	110.03	94.49	8.93
Hopper shade 300	Box 1	121.75	7.5	7.5	1	3.88	59.13	52.51	6.61
	Box 2	90.25	6.5	5.75	1	1.77	57.12	54.81	2.31
					total:	5.65	116.25	107.32	8.93
Hopper shade 300	Box 1	145.25	7.5	7.5	1	4.59	63.16	56.53	6.61
	Box 2	90.25	6.5	5.75	1	1.77	57.12	54.81	2.31
					total:	6.36	120.28	111.36	8.93
Assembly under Hopper picnic	Box 3	12.5	9.0	11.25	1	0.71	33.84	32.74	1.10
	Box 4	49.25	2.75	2.0	1	0.35	10.43	6.02	4.41
					total:	1.06	44.27	38.76	5.51
Assembly to Hopper picnic	Box 3	12.5	8.75	4.25	1	0.35	18.03	17.37	0.66
Floor fastening	Box 5	12.5	8.75	4.25	1	0.35	13.56	12.96	0.66
Concrete base	Box 6	22.75	8.25	7.0	4	3.18	268.96	264.55	4.41
	Box 7	60.75	6.25	3.75	1	0.71	110.76	108.45	2.31
					total:	3.88	379.72	373.00	6.72

Materials & colors

Fabric



White High-tech polyester

Grey taupe High-tech polyester Poles & tubes



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		inch	micron					
High-tech polyester fabric	High UV protection factorHigh tear strength	0.02	n.a.	10.93 oz/ft²	Outdoor & indoor	The fabric has a water column of 350mm (EN 20811)	7-8/8 (ISO 105- B02)	/
Stainless steel poles & tubes	 High rusting resistance Periodical maintenance required 	0.07 - 0.31	n.a.	0.49 10 ³ lb/ft ³	Outdoor & indoor	n.a.	Very good	NEN-EN 13501-1 A1*
Concrete base	 Self-consolidating concrete Higher strength Very smooth finish 	6.29	n.a.	0.14 10 ³ lb/ft ³	Outdoor & indoor	n.a.	Very good	NEN- EN13501- 1 A1 *
Cover	 100% polyester Polyuréthance coating Breathable, so not 100% waterproof 	0.2	n.a.	8.46 oz/ft ²	Outdoor & indoor	One side very waterproof, one side breathable	6-8/8 (ISO 105- B02)	/

NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

Good to know

- Hopper shade combines perfectly with Hopper picnic.
- If you combine Hopper shade on concrete base with Hopper, keep in mind that the Hopper should be 1 size smaller, otherwise the table won't fit between the concrete base.
- 'Hopper' stands for 'hop picker', because the range is inspired by hop gardens, harvests and beer fests. The slanted poles of the shade clearly resemble the poles of a hops garden.
- The parasol cover is included

Floor fastening

Hopper shade comes with an optional floor fastening set.



F.A.Q.

- *Q*: What will happen to the shade if it is rolled out during a heavy downpour?
- A: As the ground is never 100% level, the water on the shade will first run to the centre of the shade and will then run off one side. A small amount of water may remain in the centre of the shade, but when you close the shade, it will also run off.
- Q: How wind resistant is the shade?
- Tests in a windtunnel have shown that the shade withstands wind speeds up to 31 mph. Still, we strongly advise to close it sooner (from 18 mph is the rule of thumb).
- Q: Do you need to use a shade cover?
- A: The cover is needed to protect and fix the shade when not in use. Protect your shade from polluted rain, bird droppings, dust and heavy winds to avoid marks or stains on the shade fabric.

Warnings <u>A</u>

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the parasol.
- Not grafitti proof.
- Do not leave children unattended whilst plaving on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the shade, but carry it with minimum 2 people
- Anchoring the product has to be done by qualified people.
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- In case of strong winds or if it is not being used, close the shade and tilt the latches downwards. Put the protective cover over the shade to prevent it from blowing open or getting dirty.
- For ventilation purposes, the cover is not 100% water proof.
- If you do not plan to use the shade for an extended period of time (e.g. during winter months), we recommend letting the shade dry completely & then storing it away in a dry environment until the next planned use
- Do not leave the parasol closed for a long time when the parasol fabric is still damp or wet.

- Do not leave the shade unattended when opened.
- Tests in a windtunnel have shown that the shade withstands wind speeds up to 31 mph. Still, we strongly advise to close it sooner (from 18 mph is the rule of thumb).
- Never try to open the shade by pulling only one pole towards you.
- Always make sure that both sides are open to prevent any damage to the shade.
- Hopper shade AISI 316 is advised for use near the sea or swimming pools (clean regularly).
- If you combine Hopper shade on concrete base with Hopper, keep in mind that the Hopper should be 1 size smaller, otherwise the table won't fit between the concrete base.
- During assembly, use a stable ladder step tool to insert the fabric roller tubes.
- · In order not to soil the fabric, we recommend that you first wash your hands or wear gloves
- Always make sure that no obstacles are situated between the shade and the table when closing the shade - mind your fingers.
- When closing the shade, it will suddenly speed up when it reaches its tipping point. Keep a firm grip on the leather strap and carefully guide the shade into its closed position. Some strength is required to hold the weigt - Wrong or incautious use can cause serious injury. Always make sure that no people or obstacles are situated close to the poles or between the shade and the table when opening the shade.
- Do not open & close the shade with your bare feet, always wear shoes.
- For small people the shade can be too heavy to

open single-handedly by means of the leather strap. In case, open the shade together with another person. (1m70)

Do not use torches, candles, bbg's, etc under the shade.

High-tech polyester

- Shake or brush off loose dirt immediately.
- Do not use any aggressive detergents as they will remove the protective coating of the fabric. We strongly advise you not to use a high-pressure
- hose for cleaning.

Stainless steel

- Very good UV color fastness. Flame retarding: NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Watch out, stainless steel isn't entirely rustproof! Be sure to avoid contact with iron objects. If it does show signs of rust, clean with rust remover as quickly as possible.

Concrete

- Matt and porous.
- Very good UV color fastness.
- Flame retarding: NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in inch, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only

Tech sheet 20240115

Maintenance

STAINLESS STEEL

- Clean regularly with a dry cloth and some stainless steel cleaner.
- PARASOL FABRIC
- Shake or brush off loose dirt immediately. Sprav Extremis Multi Cleaner
- . Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.

Important

- Never try to open the shade by pulling only one pole towards you.
- Hopper shade AISI 316 is advised for use near the sea or swimming pools.
- Always make sure that both sides are open to prevent any damage to the shade.

